

Home | Logout | Access Information | Alerts | Pumbase History | \*\*\* C

Welcome United States Patent and Trademark Office

Search Session History

erowse

SEARCH

IEEE XPLORE GUIDE

Edit an existing query or compose a new query in the Search Query Display.

Select a search number (#) to:

- Add a query to the Search QueryDisplay
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Tue, 21 Aug 2007, 5:55:22 PM EST

Search Query Gisplay



Recent Search Queries

Results

0

Solved by

Help Contact Us Privac

& Сарунды: 2005 : E

	Hits	Search Text	DBs
1	77	((chang\$7 of adapt\$7 or adjust\$7 or modif\$7) near2 (speed\$7 or baud\$7 or (lin\$3 near2 rat\$3))) with ((nois\$7 or snr) with compar\$7) and @ad<"20040112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	4	((chang\$7 or adapt\$7 or adjust\$7 or modif\$7) near2 (speed\$7 or baud\$7 or (lin\$3 near2 rat\$3))) with ((nois\$7 or snr) with compar\$7) and modem\$7 and @ad<"20040112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	0	(375/222,220,219,354,377,371,25 9,224,225,226,227,228, 370/216,241,242,252,253, 455/39,67.11,67.13).ccls. and ((chang\$7 or adapt\$7 or adjust\$7	US-PGPUB; USPAT; EPO; JPO;
		or modif\$7) near2 (speed\$7 or baud\$7 or (lin\$3 near2 rat\$3))) with ((nois\$7 or snr) with compar\$7) and modem\$7 and @ad<"20040112"	DERWENT; IBM_TDB
4	0	dsl same (rat\$3 near2 (adjust\$7 or chang\$7 or updat\$7 or modif\$7)) same ((nois\$7 or interferenc\$7) near2 compar\$7) and @ad<"20040112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	128	dsl same rat\$3 near2 (adjust\$7 or chang\$7 or updat\$7 or modif\$7) and @ad<"20040112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	0	((chang\$7 or adapt\$7 or adjust\$7 or modif\$7) near2 (speed\$7 or baud\$7 or (lin\$3 near2 rat\$3))) with ((nois\$7 or snr) with compar\$7) and (dsl or adsl or xdsl) and @ad<"20040112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
7	3	((chang\$7 or adapt\$7 or adjust\$7 or modif\$7) near2 (speed\$7 or baud\$7 or (lin\$3 near2 rat\$3))) with ((nois\$7 or snr) with compar\$7) and (modula\$7 and demodula\$7) and @ad<"20040112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	28	dsl same (rat\$3 near2 (adjust\$7 or chang\$7 or updat\$7 or modif\$7)) same nois\$7 and @ad<"20040112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	0	((chang\$7 or adapt\$7 or adjust\$7 or modif\$7) near2 (speed\$7 or baud\$7 or (lin\$3 near2 rat\$3))) with ((nois\$7 or snr) with compar\$7) and (dsl or ?dsl) and @ad<"20040112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	0	(375/222,220,219,354,377,371,25 9,224,225,226,227,228, 370/216,241,242,252,253, 455/39,67.11,67.13).ccls. and ((chang\$7 or adapt\$7 or adjust\$7 or modif\$7) near2 (speed\$7 or baud\$7 or (lin\$3 near2 rat\$3))) with ((nois\$7 or snr) with compar\$7) and modem\$7 and @ad<"20040112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	4	((chang\$7 or adapt\$7 or adjust\$7 or modif\$7) near2 (speed\$7 or baud\$7 or (lin\$3 near2 rat\$3))) with ((nois\$7 or snr) with compar\$7) and modem\$7 and @ad<"20040112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
12	4	(remy-terrence-e.in. or sylvester- james-e.in. or sylvester-james- f.in. or remy-terrence.in. or sylvester-james.in.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	0	(remy-terrence-e.in. or sylvester- james-e.in. or sylvester-james- f.in. or remy-terrence.in. or sylvester-james.in.) and ((nois\$7 or error\$7) and rat\$3).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	0	(375/222,220,219,354,377,371,25 9,224,225,226,227,228, 370/216,241,242,252,253, 455/39,67.11,67.13).ccls. and ((chang\$7 or adapt\$7 or adjust\$7 or modif\$7) near2 (speed\$7 or baud\$7 or (lin\$3 near2 rat\$3))) with ((nois\$7 or snr) with compar\$7) and modem\$7 and @ad<"20040112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB